

NEW starting April 2013



KRAIBURG KARERA - rubber cover for floors in cattle houses

"THE NEW ONE" for paved/concrete areas like walking alley,
crossing passage, milking parlour, collecting yard and travel lane



► brings the pasture indoors


www.kraiburg-elastik.com



The KRAIBURG KARERA mat

► improves claw health, well-being and productivity

- quad-surface: non-slippery and easy to clean
- lower side with multisquare-profile: robust, pleasantly soft and hygienic
- appropriate softness of the walking area relieves the claw
- stress and noise reducing
- increases safety, reduces fear and pain for the cows
 - ▶ better heat detection
 - ▶ higher reproduction rate
 - ▶ better access to feed and hence higher milk yield
 - ▶ faster milking through improved parlour entrance and exit



big square
-> stability

small squares
-> deformability

drainage-channel
-> hygiene



quad-surface:
non-slip and hygienic

lower side:
multisquare-profile

proven KRAIBURG
fastening system:
extremely sturdy, rounded off
and flush with the mat

- sturdy mat with good position and dimensional stability
- simple and fast installation
 - ▶ easy-to-handle single mats with puzzle connection
 - ▶ prefabricated fixing points ease installation
 - ▶ installation between milking times possible
- puzzle compensates for natural thermal expansion, practically a seamless floor area
- suitable for new construction, as well as for renovation
- manure removal with scraper and driving on mats possible*

Scraper manure removal

In principal we recommend the use of **scrapers specifically developed for rubber floors**.

For structural alterations it is necessary to adapt the **scraper facilities in coordination with the scraper manufacturer**, according to the **KRAIBURG guidelines for manure scrapers**.

Important: check any adaptations annually!


Driving over

KARERA P can be driven over with vehicles with authorized tyres at the **recommended inflation pressure up to max. 4 bar**.

* Please take notice of the corresponding KRAIBURG specifications. You will obtain these at your local KRAIBURG dealer or at www.kraiburg-elastik.com.

KARERA P ▶ for paved/concrete areas
like walking alley, crossing passage, milking parlour,
collecting yard, travel lane, ...

- through the versatile dimensions and combination possibilities, the most unusually shaped areas can be covered
- width accurately fitting in 5-cm increments, available from 95 cm on
- available with puzzle shaped edges on 2, 3 or 4 sides



Dimensions:

lower side profile: multisquare

thickness: 21 mm

2 sides with puzzle shaped edges: **length:** 170 cm x **width:** 95/100/105/110/115/120/125/130 cm
(puzzle seam on wide sides)



3 sides with puzzle shaped edges: **length:** 170 cm x **width:** 37.5/47.5/52.5/57.5/62.5/92.5/97.5/102.5/
107.5/117.5/122.5/127.5 cm
(puzzle seam on wide sides and on one long side)

4 sides with puzzle shaped edges: **length:** 170 cm x **width:** 125 cm

Installation: 6 or 8 fixings / mat*

Installation examples:


▶ **Walking alley:**




* Please take notice of the corresponding KRAIBURG installation instructions with useful advice and tips. You will obtain these at your local KRAIBURG dealer or at www.kraiburg-elastik.com.

Installation examples:


► On further areas:



2 sides puzzle



4 sides puzzle



3 sides / 4 sides puzzle

 Installation – easy and fast

The guidelines to correct installation can be found in the installation instructions!
 You will obtain these at your local KRAIBURG dealer or at www.kraiburg-elastik.com.

 KRAIBURG manufacturer guarantee

KARERA P: 5 years

More detailed information is available on request.

 Tolerances

thickness: +3/-2 mm **length + width:** each +/- 1.5 % (DIN ISO 3302-1 tolerance class M4)

The tolerances also apply within the mat.



Questions?

We look forward to hearing from you!
 You can call us at: +49/8683/701-303
 (We speak English, German and Russian)

The products presented here should only be used for the mentioned applications. Technical specifications are subject to alterations.
 All sales are subject to our General Terms and Conditions. Legal basis is the German version of the document.

Your KRAIBURG dealer:



English

09/2013 - II

www.kraiburg-elastik.com



Gummiwerk KRAIBURG Elastik GmbH & Co. KG

Göllstraße 8 • 84529 Tittmoning • GERMANY

Tel: +49/86 83/701-303 • Fax: +49/86 83/701-190 • e-mail: info@kraiburg-elastik.de

www.kraiburg-elastik.com